







Ageing Wine Cellar MILLESIME Freestanding

GENERAL INFORMATION

Number of bottles: 138 Number of zones: 2

Adjustable temperature range: 5-20°C

Noise level: 37dB Energy class: F

Climate class : SN/ST (10-38) Vinotag compatible : Yes Wifi connection : yes



Ageing and Safety

The MILLESIME140DB dual temperature zone wine cellar reproduces the storage conditions of a natural underground cellar to carefully preserve your vintages until their peak date. Protection against light, self-regulated humidity, air renewal, absence of vibrations and constant temperature are combined to guarantee the optimal ageing of your fine wines. Equipped with a winter function, your bottles are protected and the interior temperature controlled despite an unfavorable ambient environment. Temperature alarms, triple Low Eglass glazing treated with anti-UV and a lock ensure the serenity of your collection.

Equipment and Connectivity

A side LED lighting enhances the collection without disturbing its ageing. Stored or displayed on shelves made of exotic solid wood (sapelli), the presentation of the wine adapts to your desires thanks to the shelves provided allowing head-to-tail and label-view storage. Fully equipped, the cellar is also connected. By connecting the cellar to a Wi-Fi network, you



REMOTE CONTROLThanks to a wifi connection manage remotely temperature and lighting



MULTI FORMAT SHELF Store all your wine type in the same shelf (Burgundy, Champagne, Riesling)



DUAL TEMPERATURE ZONE
Store and refresh all your wines
at the correct temperature in the
same cellar



SIDE LED LIGHT
Improves visibility of your wine selection with interior side LED lighting (top to bottom of the cellar)



MILLESIME140DB

EAN-13 - 3541362311290

Capacity and Temperature

Number of bottles: 138

Upper zone : 66Lower zone : 72

Adjustable temperature: 5-20°C

Upper zone : 5-12°C
Lower zone : 12-20°C

Door

Door color: Black
Door glass color: Grey
Number of glass layers: 3

Anti-UV: Yes Low-e glass: Yes Tempered glass: Yes

Lock: Yes

Reversible door: No Handle type: Integrated Pentograph hinge: No Self-closing door: No

Security

Alarm: Temperature Winter system: Yes Child lock: Yes

Logistic

Net dimensions (WxDxH): $59.5 \times 69.6 \times 125.0$ Gross dimensions (WxDxH): $66.0 \times 75.5 \times 132.5$

Net weight (kg): 78.0 Gross weight (kg): 82.0

Technical Data

Energy class: F

Annual energy (KWh/a): 118 Climate class: SN/ST (10-38)

Noise level: 37dB/C

Energy Efficiancy Index: 123 %

Power input: 70.00 W Voltage: 220-240 V

Length of power cable: 0 cm

Plug Type: E type Type of gas: R600a Gas charge: 42 g

Type of compressor: Standard

Main cooling system: Air moving system

Charcoal filter: 1

Anti-vibration system: Yes Adjustable feet: 2 / 1.5 cm

Wheels: yes

Light

Light source: LED

Light color(s): Cold White Dimmable light: no Light switch: yes

Permanent light option: Yes

Qtty per 20': 0 Qtty per 40': 0 Qtty per 40 HC: 108 Customs code:



MILLESIME140DB

EAN-13 - 3541362311290



Accessories

- 2 shelves, sappeli, sliding (STANDARDMIL)
- 2 shelves, sappeli, sliding (LATERALMIL)
- 1 charcoal filter, (FILTRE5)

Compatible accessories references : PIERREDELAVE, BOITEPOURPIERRES, PRESENTATIONMIL, STANDARDMIL, FILTRE5, LATERALMIL

Built-in information

Warning installation : This unit is intended for free standing installation only. It must never be built under or built in

