

Connectors (North America, Latin America, South East Asia, China)



Connectors (Korea)



About Samsung Electronics Co., Ltd.

Samsung Electronics Co., Ltd. inspires the world and shapes the future with transformative ideas and technologies. The company is redefining the worlds of TVs, smartphones, wearable devices, tablets, digital appliances, medical equipment, network systems, and semiconductor and LED solutions. For the latest news, please visit the Samsung Newsroom at news.samsung.com.


Samsung Hospitality Display

For more information about Samsung Smart Signage, visit www.samsung.com/business

Copyright © 2025 Samsung Electronics Co. Ltd. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co. Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognized and acknowledged.

Samsung Electronics Co., Ltd.

129, Samsung-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16677 Republic of Korea



Enrich guest stays with seamless entertainment

- AirSlim 4K Smart Hospitality TV with LINK Cloud

The HU8000F is Samsung's signature hospitality display, providing guests with a prestigious experience. Fully equipped with the best-in-class features and a slim design, the HU8000F offers the most defined pictured quality, ease of use, and endless entertainment options through Google Cast, Smart Hub, and Apple AirPlay.

Key features



LYNK Cloud

LYNK Cloud provides remote display management and can even analyze guests' content use to uncover marketing insights.

* Samsung LYNK Cloud solution must be purchased separated to the separate separated to the separated separated to the separated separated to the separated s



Google Cast

Guests will be able to easily cast their favorite content directly from their Android™ and iOS devices to the TV without the need for additional dongles or login requirements.

- * The features are available through Samsung solution. (LYNK Cloud, TEP
- * Android and Google Cast are trademarks of Google LLC
- * Google Cast supports Android 6 and above, and iOS 14 and above. Availability may vary by device, software version
- * Google Cast is supported on HU8000F/HU7000F series.



Apple AirPlay

Enjoy movies, shows, photos and more on the TV in your room with AirPlay. Your devices are securely paired to the TV, ensuring peace of mind that everything stays personal and private.

- * When using TEP, In order to enable AirPlay, all related parties including hotel property and system integrator must be certified by Apple separately.
- * AirPlay in hotels requires iPhone Xs or later running iOS 17.3 or later; or iPad (6th generation or later), iPad mini (5th generation or later), iPad Air (3rd generation or later), 12.9-inch iPad Pro (2nd generation or later), 10.5-inch
- iPad Pro, or 11-inch iPad Pro (1st generation or later) running iPadOS 17.3 or later.

 This function may not be supported depending on the model, apps, or geographical area.



Samsung Knox Security

Samsung Knox Security secures against harmful attacks by automatically block execution of unauthorized malicious apps or access to phishing sites, and guests' sensitive data such as pin codes or passwords are protected by multiple layers of software and hardware.

amsung Knox Security applies to Samsung TVs powered by Tizen®, launched since 2015. Latest software update



irSlim Desia

The mind-blowing slim design of your TV fits harmoniously with its surroundings.


Specifications


	Model	43"	50"	55"	65"	75"	85"
General Information	Product Type	LED	LED	LED	LED	LED	LED
	Inch	43	50	55	65	75	85
	Resolution	4K(3,840 x 2,160)	4K (3,840 x 2,160)	4K (3,840 x 2,160)	4K (3,840 x 2,160)	4K (3,840 x 2,160)	4K (3,840 x 2,160)
	Picture Engine	Quantum Processor Lite					
	HDR (High Dynamic Range)	HDR	HDR	HDR	HDR	HDR	HDR
	HDR10+	Support	Support	Support	Support	Support	Support
	HLG (Hybrid Log Gamma)	Yes	Yes	Yes	Yes	Yes	Yes
Video	Contrast	Mega Contrast	Mega Contrast	Mega Contrast	Mega Contrast	Mega Contrast	Mega Contrast
	Color	Dynamic Crystal Color	Dynamic Crystal Color	Dynamic Crystal Color	Dynamic Crystal Color	Dynamic Crystal Color	Dynamic Crystal Color
	Micro Dimming	UHD Dimming	UHD Dimming	UHD Dimming	UHD Dimming	UHD Dimming	UHD Dimming
	Contrast Enhancer	Yes	Yes	Yes	Yes	Yes	Yes
	Film Mode	Yes	Yes	Yes	Yes	Yes	Yes
	Speaker Type	2CH	2CH	2CH	2CH	2CH	2CH
	Main Speaker Output (W)	10W+10W	10W+10W	10W+10W	10W+10W	10W+10W	10W+10W
Audio	Woofer Speaker Output (W)	N/A	N/A	N/A	N/A	N/A	N/A
	Bluetooth Audio	Yes	Yes	Yes	Yes	Yes	Yes
	Operating System	Tizen™ Smart TV					
Smart Service	Web Browser	Yes	Yes	Yes	Yes	Yes	Yes
	SmartThings Pro	Yes	Yes	Yes	Yes	Yes	Yes
	Screw Size	M8	M8	M8	M8	M8	M8
VESA Standard	Screw depth	11-13	11-13	11-13	11-13	11-13	11-13
	VESA Spec	200 x 200	200 x 200	200 x 200	400 x 300	400 x 400	600 x 400
	Multi View	Yes	Yes	Yes	Yes	Yes	Yes
	Ambient Mode	Yes	Yes	Yes	Yes	Yes	Yes
Smart Feature	Workspace	Yes	Yes	Yes	Yes	Yes	Yes
	Apple AirPlay	Yes	Yes	Yes	Yes	Yes	Yes
	Google Cast	Yes	Yes	Yes	Yes	Yes	Yes
	Art Mode	N/A	N/A	N/A	N/A	N/A	N/A
Feature	ConnectShare™	Yes	Yes	Yes	Yes	Yes	Yes
reature	EPG	Yes	Yes	Yes	Yes	Yes	Yes
	IP Control	Yes	Yes	Yes	Yes	Yes	Yes
	TEP	Yes	Yes	Yes	Yes	Yes	Yes
	Samsung LYNK Cloud	Yes	Yes	Yes	Yes	Yes	Yes
	Hospitality Plug&Play (Easy Setup)	Yes	Yes	Yes	Yes	Yes	Yes
	Power On Mode	Yes	Yes	Yes	Yes	Yes	Yes
	Hotel Channel List	Yes	Yes	Yes	Yes	Yes	Yes
	Channel Menu Display	Yes	Yes	Yes	Yes	Yes	Yes
	Mixed Channel List (ATSC, DVB-T/T2/C/S2, Analog)	Yes	Yes	Yes	Yes	Yes	Yes
	My Channel	Yes	Yes	Yes	Yes	Yes	Yes
	Energy Saving Mode (BLU control)	Yes	Yes	Yes	Yes	Yes	Yes
Hospitality Feature	Interactive Protocol	Yes	Yes	Yes	Yes	Yes	Yes
	Multi Code Remote control	Yes	Yes	Yes	Yes	Yes	Yes
	USB Cloning	Yes	Yes	Yes	Yes	Yes	Yes
	Hotspot	Yes	Yes	Yes	Yes	Yes	Yes
	Alarm	Yes	Yes	Yes	Yes	Yes	Yes
	Samsung LYNK™ DRM RF	Yes	Yes	Yes	Yes	Yes	Yes
	Samsung LYNK™ DRM IP	Yes	Yes	Yes	Yes	Yes	Yes
	bLAN	N/A	N/A	N/A	N/A	N/A	N/A
	Security Mode	Yes	Yes	Yes	Yes	Yes	Yes
	Pro:Idiom SW	Yes	Yes	Yes	Yes	Yes	Yes


Wild Weight Fig. Weight		Model	43"	50"	55"	65"	75"	85"
Marchan	Connectivity	Wi-Fi	Yes (Wi-Fi 5)	Yes (Wi-Fi 5)	Yes (Wi-Fi 5)	Yes (Wi-Fi 5)	Yes (Wi-Fi 5)	Yes (Wi-Fi 5)
Property		Bluetooth	Yes (BT5.2)	Yes (BT5.2)	Yes (BT5.2)	Yes (BT5.2)	Yes (BT5.2)	Yes (BT5.2)
Commonitor Com		HDMI	3	3	3	3	3	3
Chemical LANO		Anynet+ (HDMI-CEC)	Yes	Yes	Yes	Yes	Yes	Yes
Power Stock Filter Facility		USB	2 x USB-A	2 x USB-A	2 x USB-A	2 x USB-A	2 x USB-A	2 x USB-A
Design Audio Out (Episcol) 1 1 1 1 1 1 1 1 1		Ethernet (LAN)	1	1	1	1	1	1
Princinguist (John Princinguist (John Princinguist) (John Principuist) (John Principuis		Audio Out (Mini Jack / LR)	N/A	N/A	N/A	N/A	N/A	N/A
Schriffick Page Schriffick		Digital Audio Out (Optical)	1	1	1	1	1	1
Power Powe								
Proper		Ex-Link (RS-232C)	1	1	1	1	1	1
Variable Audio Cut Vies		CI Slot	N/A (EU:Yes)	N/A (EU:Yes)	N/A (EU:Yes)	N/A (EU:Yes)	N/A (EU:Yes)	N/A (EU:Yes)
Variable Audio Cut Volume Control Video Out NA		Pillow Speaker Jack	N/A	N/A	N/A	N/A	N/A	N/A
Video Cut		Variable Audio Out	Yes	Yes	Yes	Yes	Yes	Yes
DATA Yes Headphone N/A		Variable Audio Out Volume Control	Yes	Yes	Yes	Yes	Yes	Yes
Headphone N/A		Video Out	N/A	N/A	N/A	N/A	N/A	N/A
Headphone D		DATA	Yes	Yes	Yes	Yes	Yes	Yes
Ethernet Bridge (LAN-Out) Yes		Headphone	N/A	N/A	N/A	N/A	N/A	N/A
Design Design Design Design Design Design Design Stand Type FLAT LIFT		Headphone ID	N/A	N/A	N/A	N/A	N/A	N/A
Power Consumption (Max) (W)		Ethernet Bridge (LAN-Out)	Yes	Yes	Yes	Yes	Yes	Yes
Power Consumption (Max) (W)	Design	Design	AirSlim	AirSlim	AirSlim	AirSlim	AirSlim	AirSlim
Power Consumption (Max) (W)		Stand Type	FLATLIFT	FLATLIFT	FLATLIFT	FLATLIFT	FLATLIFT	FLATLIFT
Power Consumption N/A N/		PowerSupply (V)	AC110-120~50/60Hz	AC110-120~50/60Hz	AC110-120~50/60Hz	AC110-120~ 50/60Hz	AC110-120~ 50/60Hz	AC110-120~50/60Hz
Component Comp		Power Consumption (Max) (W)	115	125	155	205	295	320
Cstand-by)(W) 0.5	* Power		N/A	N/A	N/A	N/A	N/A	N/A
Set Size without Stand (Wx Hx D)(mm) 965.5 x 559.4 x 25.7 1,118.3 x 644.1 x 25.7 1,232.1 x 708.8 x 25.7 1,450.9 x 831.8 x 25.7 1,676.7 x 960.3 x 26.6 1,900.9 x 1,086.1 x 26.9			0.5	0.5	0.5	0.5	0.5	0.5
Dimension (Wx Hx D) (mm) 965.5 x 594.4 x 257 1,18.3 x 644.1 x 257 1,252.1 x 708.8 x 257 1,450.9 x 890.0 x 270.4 1,676.7 x 1,017.5 x 327.7 1,900.9 x 1,141.9 x 365.6		PowerConsumption (Typical)	83	90	94	127	160	201
(Wx Hx D) (Wx Hx D) (mm) 965.5 x 614.7 x 198.4 1,118.3 x 701.3 x 258.6 1,252.1 x 768.1 x 258.6 1,430.9 x 890.0 x 270.4 1,676.7 x 101.5 x 52.7 1,900.9 x 1,141.9 x 365.6 Package Size (Wx Hx D) (mm) 1,085 x 647 x 119 1,241 x 744 x 125 1,369 x 819 x 142 1,597 x 933 x 148 1,815 x 1,080 x 164 2,059 x 1,200 x 171 Weight Set Weight without Stand (kg) 7.9 10.8 13.9 20.7 29.1 40.4 Package Weight (kg) 8.2 11.2 14.3 21.2 29.7 41.3 Package Weight (kg) 11.0 14.8 19.1 28.2 39.1 52.9 Remote Controller Model TM2240A TM2240A TM2240A TM2240A TM2240A TM2240A TM2240A TM2240A TM2240A Yes (AAA battery*2ea) Yes (AAA batte			965.5 x 559.4 x 25.7	1,118.3 x 644.1 x 25.7	1,232.1 x 708.8 x 25.7	1,450.9 x 831.8 x 25.7	1,676.7 x 960.3 x 26.6	1,900.9 x 1,086.1 x 26.9
Weight Set Weight without Stand (kg) 7.9 10.8 13.9 20.7 29.1 40.4 Permoter Controller Model 8.2 11.2 14.3 21.2 29.7 41.3 Accessory Remote Controller Model TM2240A			965.5 x 614.7 x 198.4	1,118.3 x 701.5 x 238.6	1,232.1 x 768.1 x 238.6	1,450.9 x 890.0 x 270.4	1,676.7 x 1,017.5 x 327.7	1,900.9 x 1,141.9 x 365.6
Weight Set Weight with Stand (kg) 8.2 11.2 14.3 21.2 29.7 41.3 Package Weight (kg) 11.0 14.8 19.1 28.2 39.1 52.9 Accessory Remote Controller Model TM2240A		Package Size (W x H x D) (mm)	1,085 x 647 x 119	1,241 x 744 x 125	1,369 x 819 x 142	1,597 x 933 x 148	1,815 x1,080 x164	2,059 x1,200 x171
Package Weight (kg)		Set Weight without Stand (kg)	7.9	10.8	13.9	20.7	29.1	40.4
Remote Controller Model TM2240A TM2240	Weight	Set Weight with Stand (kg)	8.2	11.2	14.3	21.2	29.7	41.3
Accessory Batteries (for Remote Control) Yes (AAA battery*2ea) Ye		Package Weight (kg)	11.0	14.8	19.1	28.2	39.1	52.9
Batteries (for Remote Control) Yes (AAA battery*2ea) Yes (AAA batt	Accessory	Remote Controller Model	TM2240A	TM2240A	TM2240A	TM2240A	TM2240A	TM2240A
Component PowerCable Yes Yes Yes Yes Yes Yes Yes Yes Yes Ye	Accessory	Batteries (for Remote Control)	Yes (AAA battery*2ea)	Yes (AAA battery*2ea)	Yes (AAA battery*2ea)	Yes (AAA battery*2ea)	Yes (AAA battery*2ea)	Yes (AAA battery*2ea)
Power Cable Yes Yes Yes Yes Yes Yes Yes Hospitality Accessory Accessory Power Cable Yes Yes Yes Yes Yes Yes Yes Yes Yes Ye	Component	User Manual	Yes	Yes	Yes	Yes	Yes	Yes
HOSPITALITY Acressory		Power Cable	Yes	Yes	Yes	Yes	Yes	Yes
Accessory		Quick Install Guide	Yes	Yes	Yes	Yes	Yes	Yes
		Data Cable	Yes	Yes	Yes	Yes	Yes	Yes


^{*} Figures may vary by region.


Technical drawings



























Connectors (Europe, CIS)



Connectors (Middle East Asia, South West Asia)

