



# Product Specification

# SuperPod WiFi 6E

Product code: 945-1107

## Access

1GE

## Multi Service

App

Cybersecurity

Parental-Control

Motion detector

Adaptive WiFi

## WiFi 6E

2.4G 2x2

5G 4x4

6G 4x4

## OpenSync™ included

HomePass®

WorkPass®



## WiFi-Interfaces



Tri-band, tri-concurrent radio operation

- 6 GHz : 4x4 MIMO 802.11ax, 20/40/80/160 MHz
- 5 GHz : 4x4 MIMO 802.11ax, 20/40/80 MHz
- 2.4 GHz : 2x2 MIMO 802.11ax, 20/40 MHz

## Ethernet Interfaces



- 1 port 100/1000 Base-T
- 1 port 2.5G Base-T Ethernet (WAN or LAN config)

## IoT-Radio



- Bluetooth Low Energy

## Power



- Power Supply : 100 to 240VAC, 50/60Hz
- Plug Type : Swiss Plug
- Power Consumption : 11W Standby, 16W Average, 26W Maximum

## Environment



- Operating Temperature : 0°C to 40°C
- Operating Relative Humidity : 10% to 90%
- Storage Conditions : -20°C to 70° C 10% to 90% (Relative Humidity)

## Networking and Connectivity



- Networking Modes: Auto-sensing Router or Bridge mode
- Firewall and Networking: NAT, DHCP server, UPnP, client IP reservation, port forwarding
- Home SSIDs: Managed with HomePass® or WorkPass®
- Guest Access: Managed with HomePass® or WorkPass®
- Authentication/Encryption: WPA2-PSK (KRACK Patched) / WPA3






## Packaging Content

- High-end single package with 2 SuperPod WiFi 6E
- Ethernet cable




## Size and Weight

- Size: 106mm W x 97mm H x 40mm D (not including plug)
- Weight: 290g



106mm



97 mm

87mm

# Interface

