






## 4K Wireless Presenter Add-on Transmitter (for TWP-100R1K)

TWP-101T (v1.0R)

- 4K HD resolution
- 5.1 Audio support over HDMI cable
- Compatible with Windows™ and Mac®
- Connect up to 32 devices to TWP-100R1K (one device per TWP-101T)
- HDMI 1.4 compliant with HDCP 1.4 support
- Plug-and-play

TRENDnet's 4K Wireless Presenter Add-On Transmitter is designed for use with your existing TRENDnet 4K Wireless Presenter Kit to expand remote device connections up to 32 nodes. The wireless presentation system supports multiple devices simultaneously and it is compatible across multiple platforms. Easy plug-and-play setup makes presentations possible with just one click. The TWP-101T wireless presenter add-on transmitter connects to a TWP-100R1K to present high-quality images from both Windows and Mac computers. TRENDnet's wireless HDMI extender solution is ideal for both business and home use.



### Wireless HDMI Extension

Extend your HDMI connection wirelessly from your Windows and Mac computers to an HDMI TV or projector.


### Multiple Platform

The wireless presentation solution is compatible with Windows and Mac.

### Plug-and-Play

Connect your devices to the wireless presentation system with just a simple push of a button.

## NETWORKING SOLUTION



## FEATURES



### Wireless Screen Sharing

Share 4K content wirelessly from your computers, tablets, or mobile phones



### Multiple Platform Compatibility

Compatible with Windows and Mac



### Split Screen

The wireless screen sharing solution supports up to 4 screens displayed concurrently



### Hassle Free

Eliminate the need to be tied to the HDMI cable; anyone can take control with one push



### Plug-and-Play

Connect your devices to the wireless presentation system with just a simple push of a button

## SPECIFICATIONS

### Standards

- IEEE 802.3
- IEEE 802.3u
- IEEE 802.11ac (5GHz)
- USB 2.0
- HDCP 1.4
- HDMI 1.4

### Device Interface

- 1 x HDMI Port
- 1 x USB 2.0 Type A Cable
- LED indicators

### Supported Video Resolutions

- Up to 1920 x 1080 @ 60Hz (60fps)
- Up to 3840 x 2160 @ 30Hz (30fps)
- Up to 4096 x 2160 @ 24Hz (24fps)

### Audio Support

- 5.1 Audio support over HDMI cable

### Operating Temperature

- 0° – 40° C (32° – 104° F)

### Operating Humidity

- Max. 95% non-condensing

### Dimensions

- 80 x 80 x 25mm (3.15 x 3.15 x 1 in.)

### Weight

- 136g (4.8 oz.)

### Certifications

- CE
- FCC

### Warranty

- 3 year

### Package Contents

- TWP-101T
- Quick Installation Guide
- HDMI cable (30cm/ 1ft.)